

CENTRE FOR PROFESSIONAL AND ADVANCED STUDIES  
GANDHINAGAR PO, KOTTAYAM -Phone 0481 2595478

No.284 /2024/CPASHO

05.04.2025

QUOTATION NOTICE

Competitive quotations are invited from registered/approved firms for the supply and installation of IFT MACHINES to the given institution under CPAS.

SINo	Item with specification	Quantity	Place of Distribution
1	<p style="text-align: center;"><b>IFT Machines</b></p> Medium Frequency: 2 KHz, 4 KHz, 6 KHz, 8 KHz and 10 KHz Therapy mode : 4p, 4pv, 2p Vector : 4 types, 45°, 90° linear, 90° trapozid, 90°non linear Base: 0-150 Hz Spectrum:1-100Hz Output Display: Separate display for CH1 & CH2 Current, LED indicator for stimulation to the patient Treatment time: Auto cutoff after 15 minutes Spectrum changes: Bar Graph indicator Spectrum programmer : Linear, Trapezoidal, non linear Isolation: Output 100% isolated Timer: Digital timer 15 minutes, pre settable Power supply110v-270v AC 50Hz/60Hz  <b>Special Features:</b> SMPS Power Supply Medium Frequency: 2 KHz, 4 KHz, 6 KHz, 8 KHz and 10 KHz 4 types of vector Tens, Russian Current Spectrum changes: Bar Graph indicator	2	Department of physiotherapy, School of Medical Education, Angamaly.

Last date of receipt of quotations : Till 1.00 pm on 16.04.2025

Date of opening of quotations:2 pm on 16.04.2025

**General Conditions**

1. The quotations shall be submitted to DIRECTOR,CENTRE FOR PROFESSIONAL AND ADVANCED STUDIES, GANDHINAGAR P.O, KOTTAYAM 686008.
2. The price quoted should be inclusive of all taxes, loading/ unloading charges, transmission charges, installation charges etc
- 3.Warranty details shall be mentioned in the quotation.
4. The equipments/ item shall be supplied within 10 days of the supply order.
5. 5 % of the total cost shall be remitted as security deposit
6. The Director reserves the right to reject any or all quotations without specify reason.

Sd/-  
DIRECTOR

CENTRE FOR PROFESSIONAL AND ADVANCED STUDIES

\* This is a computer system (Digital File) generated letter. Hence there is no need for a physical signature.